


Portable Magstripe Reading

for Data
Collection

Smart Mag DC



The Smart Mag DC is a portable data collection device which can be used anywhere magstripes need to be scanned and recorded, such as collecting attendance information or scanning cards at admission gates.

- **128K internal memory for transaction logging**
- **1 or 2 track units available**
- **Date/time stamping**
- **9 volt battery operation**



160 Oak St., Glastonbury, CT 06033 USA

Tel: (860) 659-9660 Fax: (860) 657-3860

email: sales@interbar.com

<http://interbar.com>

Smart Mag DC Specifications

Magnetic Stripe

Track 1 (high density)
Track 2 (low density)
Track 3 (high density)

Magnetic Stripe Direction

Bi-directional

Interface

RS232

Slot Width

0.050" (1.27 mm)

Indicators

2 LEDs

Memory

128K

Temperature

-40° to +85°C standard

Weight

7 ounces (198.5 grams)

Material

Black polycarbonate

Dimensions

4.6"L x 2.4"W x 1.4"H
(11.68 cm L x 6.10 cm W
x 3.56 cm H)

Power

8-15VDC, 9VDC battery (internal
or external), or AC adaptor,
depending on options

Standard Wiring

3 ft. (91.5 cm) cable with
DB9 connector, or battery and
communications jacks with
detachable cables

How To Order

Order Smart Mag DC with a code to indicate options required.

Code

Magstripe ——— MIRTCW ——— Wire Exit
Interface ——— | | ——— Cover
Memory ——— | | ——— Weatherproofing

Options Available

Magstripe

Tracks 1 & 2 – 1
Track 2 only – 2
Tracks 2 & 3 – 3

Interface

RS232 – S

Memory

128K – 1

Weatherproofing

No weatherproofing – 0
Weatherproofing – W

Cover

#6 – 6
3mm – M

Wire Exit

Side (DB9) – S
Rear – R
Side Internal Jacks – J
Internal Battery – I
Internal battery/external AC – A

Example

Smart Mag DC-2S1WMS=

Smart Mag DC with Magstripe track 2
only, RS232 interface, 128K memory,
weatherproofing, 3mm screw size mtg.
back cover and side wire exit.



International Bar Code

160 Oak St., Glastonbury, CT 06033 USA Tel: (860) 659-9660 Fax: (860) 657-3860